


CS15 Series Sofener Coming

2016.6.14


设计，源自大自然的灵感

Design . Inspired by nature.




From the inspiration of nature, CS15 series looks like a falling leaf. As a quiet interior design elements, her everything is so clean and convenient.

A intelligent softener from the unique compatibility of function and shape.



二维构思，三维建模，手板模型制作细节打磨调整，工程分析，更好的验证方案可行性。

Design is balance between rational analysis and sensational appeal. It is the perfect blending of functionality and aesthetics.



Features:

1. Simple and Clean appearance
2. 1015~1044 10 inch tank available
3. Fit for 85/85HE series control valve
4. High end display screen, Friendly interface of operation
5. Optional salt alarm.
6. Chlorine generator available.



LCD small Screen



Big TFT Screen



Available Color of Cabinet:



White





Blue



Reddish orange

Internal View:






Salt isolator



Without it



Dimension of whole system:



Performance @ 85HE UF valve:

Softener model	CS15-1015-85HE	CS15-1035-85HE
Control valve	85HE-UF	85HE-UF
Tank Size	1015	1035
Resin filled -L	12	28
<i>Salt usage : Kg/Regen.</i>		
@3lbs/cuft	0.6	1.4
@6lbs/cuft	1.1	2.7
@10lbs/cuft	2.0	4.5
<i>Capacity : Gram as CaCO3</i>		
@3lbs/cuft	420	970
@6lbs/cuft	700	1630
@10lbs/cuft	830	1900
Salt Volume : Kg	18	52
Bypass valve –with meter	YES	YES
Inlet/Outlet adpater:	½", ¾", 1"	½", ¾", 1"
Flow rate: L/M @0.1MPa	40	45
Temperature, Pressure	1~42°C, 0.15~0.8MPa	1~42°C, 0.15~0.8MPa

Thank You!